TC1 DIESEL

Version: 8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Product identifier: TC1 DIESEL

1. 1. 1. Contains: • Distillats naphténiques légers (pétrole), hydrotraités(<3%DMSO)

• Hydrocarbons, C10, aromatics, <1% naphthalene

• COPOLYMERE (Poly succinimide)

1. 1. 2. EC number: Not applicable.

1. 2. Relevant identified uses of the

substance or mixture and uses

advised against:

Additives carburizing for diesel vehicle

1. 3. Details of the supplier of the SELD

safety data sheet: 6 rue

6 rue Jules Guesde – ZI du Pontet F-69360 Saint Symphorien d'Ozon

France

Phone: +33 (0)4 37 25 16 16 Fax: +33 (0)4 78 21 80 70 E-mail: ylafond.seld@online.fr

1. 4. Emergency telephone number: UK - National Poisons Information Service Phone: 44 / 191 22 5131

1. 5. Product code nr: MT010

2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or

mixture:

* Asp. Tox. 1 / GHS08 - H304 *

* Skin Sens. 1 / GHS07 - H317 *

* Aquatic. Chronic 3 / H412 *

2. 2. Label elements:



Dangei

2. 2. 1. Symbol(s) and signal word:

2. 2. 2. Contains: • Distillats naphténiques légers (pétrole), hydrotraités(<3%DMSO)

 $\bullet \ \ \text{Hydrocarbons}, \ \ \text{C10}, \ \ \text{aromatics}, \ \ \text{<1\%} \ \ \text{naphthalene}$

• COPOLYMERE (Poly succinimide)

2. 2. 3. Hazard statement: H317 May cause an allergic skin reaction.

H304 May be fatal if sw allow ed and enters airw ays. H412 Harmful to aquatic life with long lasting effects.

2. 2. 4. Prevention: P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

P272 Contaminated w ork clothing should not be allowed out of the w orkplace.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P273 Avoid release to the environment.

2. 2. 5. Response: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P321a Specific treatment (see item nr 4.3.). P362 Take off contaminated clothing. P364 And wash it before reuse.

P301 IF SWALLOWED:

P310a Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

2. 2. 6. Storage: P405 Store locked up.

2. 2. 7. Disposal: P501a Dispose of contents / container in accordance with local / regional / national /

international regulation

2. 3. Further information(s): EUH 066 - Repeated exposure may cause skin dryness or cracking.

G.E. Conseils ® Page 1 / 7

TC1 DIESEL

Version: 8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

2. 4. Most important hazards: Most important hazards:

2. 5. Other hazards: Affect many plastics.

React with strong acids and oxidising compounds.

3. COMPOSITION / INFORMATION ON INGREDIENTS

- 3. 1. Component(s) contributing to the health hazard:
- Distillats naphténiques légers (pétrole), hydrotraités (<3%DMSO)
- CE nr: 265-156-6 CAS nr: .64742-53-6
- REACH registration number : 01-2119480375-34-0000
- Conc. (w eight %) :Conc. (% pds) : % 70 < C <= 80
- GHS (Globally Harmonized System)
- * GHS08 * Tox. asp. 1 H304
- Miscellaneous :

LD50 / Dermal / Rabbit = >2000 mg/kg LD50 / Oral / Rat = >5000 mg/kg LC50 / / Fish = >100 mg/l LC50 / 48h / Algae = >100 mg/l

- 2-ethyl hexyl nitrate
- CE nr: 248-363-6 CAS nr: 27247-96-7
- REACH registration number: 01-2119539586-27
- Conc. (w eight %): Conc. (% pds): % 5 < C <= 10
- GHS (Globally Harmonized System)
- * GHS07 * Tox. aiguë 4 H302 H312 H332
- * GHS09 * Tox. aq. chron. 2 H411
- Miscellaneous:

LD50 / Ingestion / Rat = >10000 mg/kg LD50 / Dermal / Rabbit = >5000 mg/kg

- Hydrocarbons, C10, aromatics, <1% naphthalene
- CE nr: 918-811-1
- REACH registration number : 01-2119463583-34
- Conc. (w eight %) :Conc. (% pds) : % 1 < C <= 5
- GHS (Globally Harmonized System)
- * GHS07 * STOT un. 3. H336
- * GHS08 * Tox. asp. 1 H304
- * GHS09 * Tox. aq. chron. 2 H411
- Miscellaneous :

LE50 / 72h / Pseudokirchneriella subcapita = 11 mg/l

LE50 / 48h / Daphnia magna = >=3 <=10 mg/l

DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 2.5 mg/l

LL50 / 96h / Oncorhynchus mykiss = >=2 <=5 mg/l

LD50 / Ingestion / Rat = > 5000 mg/kg

LD50 / Skin contact / Rabbit = >2000 mg/kg

LC50 / Inhalation (vapours) / Rat = >4688 mg/m3

Additional phrase(s)

EUH 066 - Repeated exposure may cause skin dryness or cracking.

- COPOLYMERE (Poly succinimide)
- Conc. (w eight %) :Conc. (% pds) : % $1 < C \le 5$
- GHS (Globally Harmonized System)
- * GHS07 * Tox. aiguë 4 H302 H312 * Sens. cut. 1 H317
- mesitylene; 1,3,5-trimethylbenzene
- ld nr: 601-025-00-5 CE nr: 203-604-4 CAS nr: 108-67-8
- Conc. (w eight %) :Conc. (% pds) : % 0 < C <= 1
- GHS (Globally Harmonized System)
- * GHS02 * Liq. infl. 3 H226
- * GHS07 * STOT un. 3 H335
- * GHS09 * Tox. aq. chron. 2 H411

Remarks:(STOT SE 3; H335; $C \ge 25\%$)

- Miscellaneous :

G.E. Conseils ® Page 2 / 7

TC1 DIESEL

Version: 8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

Exposure limit values

T.L.V. ppm = $20 - T.L.V. mg/m^3 = 100$

• 1,2,4-trimethylbenzene

- Id nr: 601-043-00-3 - CE nr: 202-436-9 - CAS nr: 95-63-6 - Conc. (w eight %) :Conc. (% pds) : % 0 < C <= 1

- GHS (Globally Harmonized System)

* GHS02 * Liq. infl. 3 - H226

* GHS07 * Tox. aiguë 4 - H332 * STOT un. 3 - H335 * Irr. cut. 2 - H315 * Irr. oc. 2 - H319

* GHS09 * Tox. aq. chron. 2 - H411

- Miscellaneous : Exposure limit values

T.L.V. $ppm = 20 - T.L.V. mg/m^3 = 100$

naphthalene

- Id nr: 601-052-00-2 - CE nr: 202-049-5 - CAS nr: 91-20-3 - Conc. (w eight %) :Conc. (% pds) : % 0 < C <= 1

- GHS (Globally Harmonized System) * GHS07 * Tox. aiguë 4 - H302 * GHS08 * Canc. 2 - H351

* GHS09 * Tox. aq. chron. 1 - H410

- Miscellaneous : Exposure limit values

T.L.V. $ppm = 10 - T.L.V. mg/m^3 = 50 - S.T.E.L ppm = 15 - S.T.E.L mg/m^3 = 79$

The wording of the sentences are mentioned at heading 16.

4. FIRST AID MEASURES

4. 1. Description of first aid measures:

4. 1. 1. General advice: Never give anything by mouth to an unconscious person.

In all cases of doubt, or when symptoms persist, seek medical attention.

For symptom description, see item 11.

4. 1. 2. Inhalation: - Take victim to fresh air, in a quiet place, in an half laying position and if necessary take

medical advice.

- Artificial respiration and/or oxygen if necessary.

4. 1. 3. Skin contact: - Take off immediately all contaminated clothing.

- Wash off with soap and plenty of water.

- If $\mbox{skin}\xspace$ irritation persists, take medical advice.

4. 1. 4. Eye contact: Rinse immediately with plenty of water, also under eyelids, taking contact lenses off. If eye

irritation persists, take medical advice.

4. 1. 5. Ingestion: - Do NOT induce vomiting.

- Rinse mouth, do not drink anything, keep quiet, and go immediately to hospital or to a doctor.

4. 2. Most important symptoms and effects, both acute and delayed:

skin irritation

4. 2. 1. Inhalation: Irritating to the respiratory system, may cause throat pain and cough.

Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,

breathing arrest.

4. 2. 2. Skin contact: Components of the product may be absorbed into the body through the skin.

Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and

dermatitis.

4. 2. 3. Eyes contact: mild eye irritation (pain, redness)

4. 2. 4. Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. (abdominal pain)

G.E. Conseils ® Page 3 / 7

TC1 DIESEL

Version:8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

4. 3. Indication of any immediate medical attention and special treatment needed:

In all cases of doubt, or when symptoms persist, seek medical attention.

5. FIREFIGHTING MEASURES

dry chemical pow der, alcohol-resistant foam, carbon dioxide (CO2), water spray, sand, earth. 5. 1. Extinguishing media:

5. 2. Special hazards arising from the

In case of fire and/or explosion do not breathe fumes.

substance or mixture:

In case of fire, product decomposes in:: toxic compounds, carbon oxides (CO and CO2),

nitrogen oxides (NOx) and smokes.

Vapours are heavier than air and spread above ground.

Concerning product toxicity, see item 11 and about product stability and reactivity see item 10.

5. 3. Advice for firefighters: Use a self-contained breathing apparatus and also a protective suit.

5. 4. Specific method(s): Cool closed containers exposed to fire with water spray.

5. 5. Extinguishing media w hich must NOT be used for safety reasons:

Do not use water iet.

6. ACCIDENTAL RELEASE MEASURES

6. 1. Personal precautions, protective Evacuate personnel to a safe area.

equipment and emergency procedures: Avoid contact with skin, eyes, or clothing.

> Ensure adequate ventilation. Remove all sources of ignition.

6. 2. Environmental precautions: Prevent liquid from entering sew ers, w atercourses, underground or low areas. Relevant

water authorities should be notified of any large spillage to water course or drain.

6. 3. Methods and material for

containment and cleaning up: gel).

Shovel into suitable and closed container for disposal.

Soak up with absorbent material (for example sand, saw dust, neutral absorbent granule, silica

6. 4. Reference to other sections: Concerning disposal elimination after cleaning, see item 13.

Concerning personal protective equipment to use, see item 8.

7. HANDLING AND STORAGE

7. 1. Handling:

7. 1. 1. Precautions for safe Avoid all eyes and skin contact and do not breathe vapour and mist.

handling: Do not eat, drink and do not smoke in areas where product is used.

Wear personal protective equipment (see item 8).

7. 1. 2. Technical condition(s): Maximum handling temperature: 50°C.

Provide for appropriate exhaust ventilation at places of vapours accumulation.

7. 1. 3. Safe handling advice(s): Opened containers must be carrefully closed and kept uprigth to avoid leakage.

7. 2. Storage:

7. 2. 1. Conditions for safe storage, Keep out of the reach of children.

including any incompatibilities:

Keep container tightly closed and at a temperature not exceeding (°C): 50°C 7. 2. 2. Storage condition(s):

Keep aw ay from sources of ignition - No smoking.

Keep container in a well ventilated place.

7. 2. 3. Separation of incompatible

product(s):

Keep away from: strong acids, and oxidising compounds.

7. 2. 4. Packaging / tank material: made of the same material as the supply container.

7. 3. Specific end use(s): None reasonably foreseeable.

G.F. Conseils ® 4 / Page

TC1 DIESEL

Version: 8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8. 1. Control parameters:

8. 1. 1. Exposure limit(s): • mesitylene; 1,3,5-trimethylbenzene :

T.L.V. ppm = $20 - T.L.V. mg/m^3 = 100$

• 1,2,4-trimethylbenzene :

T.L.V. $ppm = 20 - T.L.V. mg/m^3 = 100$

• naphthalene :

T.L.V. $ppm = 10 - T.L.V. mg/m^3 = 50 - S.T.E.L ppm = 15 - S.T.E.L mg/m^3 = 79$

8. 1. 2. Engineering measure(s): Ensure adequate ventilation, especially in confined areas.

To protect against splashes from pouring.

8. 2. Exposure controls:

8. 2. 1. Respiratory protection: Not necessary with sufficient ventilation.

8. 2. 2. Hand protection: nitrile rubber gloves

8. 2. 3. Skin and body protection: Wear suitable protective clothing

8. 2. 4. Eye protection: Eye protection designed to protect against liquid splashes should be w orn.

8. 3. Hygiene measure(s): Do not eat, drink, or smoke during w ork.

Keep aw ay from food, drink and animal feed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and

chemical properties:

9. 1. 1. Appearance: liquid9. 1. 2. Colour: amber

9. 1. 3. Odour: characteristic, strong

9. 1. 4. PH: Not applicable.

9. 1. 5. Boiling point/range: 160°C (320 F) - 220°C (428 F)

9. 1. 6. Flash point: 120°C

9. 1. 7. Explosion limits: EL: 7.0 LEL: 0.6

9. 1. 8. Relative density (w ater = 1): 0.89

9. 1. 9. Viscosity: Not determined.

9. 2. Other information:

9. 2. 1. Water solubility: insoluble

9. 2. 2. Fat solubility: completely soluble

9. 2. 3. Solvent solubility: soluble in most organic solvents

10. STABILITY AND REACTIVITY

10. 1. Reactivity: No decomposition if stored and applied as directed.

Not waited

10. 2. Chemical stability: Stable in use and storage conditions as recommended in item 7.

10. 3. Possibility of hazardous

reactions:

10. 4. Conditions to avoid: Do not expose at temperatures above 50°C

G.E. Conseils ® Page 5 / 7

TC1 DIESEL

Version:8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

Reacts violently with:: strong acids and oxidising compounds. 10. 5. Incompatible materials:

10. 6. Hazardous decomposition

products:

Hazardous decomposition products may be released during prolonged heating like smokes,

carbon monoxide and dioxide and nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

11. 1. Information on toxicological

effects:

No available information on preparation.

11. 2. Acute toxicity:

11. 2. 1. Inhalation:

There is no data available on the product itself.

11. 2. 2. Skin contact: see item nr 3

- Distillats, naphténiques légers (pétrole), hydrotraités

11. 2. 3. Eyes contact: There is no data available on the product itself.

11. 2. 4. Ingestion:

- Distillats, naphténiques légers (pétrole), hydrotraités

11. 3. Sensitisation: Nonlikely to be one sensitizing cutaneous.

12. ECOLOGICAL INFORMATION

12. 1. Toxicity: May be harmful to aquatic organisms, to flora, to soil organisms.

12. 2. Persistence and degradability: Not readily biodegradable. However the majority of the components of the new product are

intrinsically biodegradable in the long term.

12. 3. Bioaccumulative potential: No data available.

12. 4. Mobility in soil:

12. 5. Results of PBT and vPvB

assessment:

This product n' is not a substance PBT or vPVB, or n' in does not contain.

12. 6. Other adverse effects: No expected harmful effects.

12. 6. 1. Toxicity to fish: see item nr 3

- Distillats, naphténiques légers (pétrole), hydrotraités

13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods: Collect all waste in suitable and labelled containers and dispose according to local legislation.

Do not dispose of waste into sewer.

Can be incinerated according to local regulations.

13. 2. Contaminated packaging: This container is uitsluitend bedoeld only to this product.

Do not burn, or use a cutting torch on the empty drum.

Empty containers can be dumped according to local legislation.

Empty containers should be taken for recycle, recovery or waste in accordance with local

regulation.

14. TRANSPORT INFORMATION

14. 1. General information(s): Transport follow ed ADR, IMDG, IATA

14. 2. UN number: Not applicable.

14. 6. Environmental hazards:

14. 7. Special precautions for user: Concerning personal protective equipment to use, see item 8.

14. 8. Transport in bulk according to

Annex II of MARPOL73/78 and the IBC

Not applicable.

Code:

G.E. Conseils® Page

TC1 DIESEL

Version: 8 Review date: 4/10/2019 RE EC/2016-918 - CLP 1272/2008

15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Payment 1907/2006 concerning l' recording, l' evaluation and l' authorization of chemical substances, as w ell as the restrictions applicable to these substances.... as modified.

15. 2. Chemical safety assessment: Not applicable.

16. OTHER INFORMATION

16. 1. Text of the phrases listed in

section 3:

H304 May be fatal if sw allow ed and enters airw ays.

H302 Harmful if sw allow ed. H312 Harmful in contact w ith skin.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no

other routs of exposure cause the hazard>.

H410 Very toxic to aquatic life with long lasting effects.

H226 Flammable liquid and vapour. H335 May cause respiratory irritation. H317 May cause an allergic skin reaction.

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drow siness or dizziness.

16. 2. Important remarks: Information in this safety data sheet is based on actual knowledge in our possession and our

experience.

It is recommended to pass the information of this safety data sheet, eventually in an

appropriated form, to the users.

No liability will be accepted (except as otherwise provided by law) arising out of the use of

information supplied in this data sheet.

16. 3. Restrictions: This information relates to the specific material designated and may not be valid in combination

with other product(s).

 16. 4. 1. First edition date:
 7/12/2005

 16. 4. 2. Previous revision date:
 12/03/2018

 16. 4. 3. Review date:
 4/10/2019

 16. 4. 4. Version:
 8

16. 5. Written by: SELD

G.E. Conseils ® Page 7 / 7