

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6


Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Preparation name: TC2 ESSENCE
1. 1. 1. Contains:
- HYDROCARBURES, C9-C11, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES
  - Hydrocarbons, C10, aromatics, <1% naphthalene
  - Hydrocarbons, C10, aromatics, >1% naphthalène
  - solvant naphta aromatique lourd
1. 1. 2. Product code nr: MT002
1. 1. 3. Other means of identification: UFI : R500-G0YS-0002-GRCJ
1. 2. Details of the supplier of the safety data sheet: SELD  
6 rue Jules Guesde – ZI du Pontet  
F-69360 Saint Symphorien d'Ozon  
France  
Phone: +33 (0)4 37 25 16 16  
Fax: +33 (0)4 78 21 80 70  
E-mail: contact@seld-production.com
1. 3. Emergency telephone number: UK - National Poisons Information Service Phone: 44 / 191 22 5131
1. 4. Relevant identified uses of the substance or mixture and uses advised against: Additive Gasoline improving of octane number

### 2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or mixture:
- \* Acute Tox. 4 / GHS07 - H312 \*
  - \* Asp. Tox. 1 / GHS08 - H304 \*
  - \* Acute Tox. 4 / GHS07 - H332 \*
  - \* STOT SE 3 / GHS07 - H335 and H336 \*
  - \* Aquatic. Chronic 2 / GHS09 - H411 \*
2. 2. Label elements:
- 
- Danger
2. 2. 1. Symbol(s) and signal word: .
2. 2. 2. Contains:
- HYDROCARBURES, C9-C11, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES
  - Hydrocarbons, C10, aromatics, <1% naphthalene
  - Hydrocarbons, C10, aromatics, >1% naphthalène
  - solvant naphta aromatique lourd
2. 2. 3. Hazard statement:
- H312 Harmful in contact with skin.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.  
H332 Harmful if inhaled.  
H335-336 May cause respiratory irritation May cause drowsiness or dizziness.
2. 2. 4. Prevention:
- P280 Wear protective gloves / protective clothing / eye protection / face protection.  
P273 Avoid release to the environment.  
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.  
P271 Use only outdoors or in a well-ventilated area.
2. 2. 5. Response:
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P310a Immediately call a POISON CENTER / doctor.  
P312a Call a POISON CENTER / doctor if you feel unwell.  
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.  
P301 IF SWALLOWED:  
P331 Do NOT induce vomiting.  
P391 Collect spillage.  
P304 IF INHALED:  
P340 Remove person to fresh air and keep comfortable for breathing.

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

2. 2. 6. Storage:	P405 Store locked up. P403 Store in a well-ventilated place. P233 Keep container tightly closed.
2. 2. 7. Disposal:	P501a Dispose of contents / container in accordance with local / regional / national / international regulation
2. 3. Further information(s):	EUH 066 - Repeated exposure may cause skin dryness or cracking.
2. 4. Other hazards:	Affect many plastics. React with strong acids and oxidising compounds.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

3. 1. Component(s) contributing to the hazard:
- HYDROCARBURES, C9-C11, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES  
- CE nr: 919-857-5  
- REACH registration number : 01-2119463258-33  
- Conc. (weight %) : Conc. (% pds) : % 60 < C <= 70  
- GHS (Globally Harmonized System)  
\* GHS02 \* Liq. infl. 3 - H226  
\* GHS07 \* STOT un. 3. - H336  
\* GHS08 \* Tox. asp. 1 - H304  
- Miscellaneous :  
LD50 / Dermal / Rabbit = >5000 mg/kg  
LD50 / Oral / Rat = >5000 mg/kg  
LC50 / 96h / Oncorhynchus mykiss = >1000 mg/l  
CE50 / 48h / Daphnia magna = >1000 mg/l  
CEr50 / 72h / Algae = >1000 mg/l  
Additional phrase(s)  
EUH 066 - Repeated exposure may cause skin dryness or cracking.
  - Hydrocarbons, C10, aromatics, <1% naphthalene  
- CE nr: 918-811-1  
- REACH registration number : 01-2119463583-34  
- Conc. (weight %) : Conc. (% pds) : % 25 < C <= 30  
- GHS (Globally Harmonized System)  
\* GHS07 \* STOT un. 3. - H336  
\* GHS08 \* Tox. asp. 1 - H304  
\* GHS09 \* Tox. aq. chron. 2 - H411  
- Miscellaneous :  
LE50 / 72h / Pseudokirchneriella subcapita = 11 mg/l  
LE50 / 48h / Daphnia magna = >=3 <=10 mg/l  
DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 2.5 mg/l  
LL50 / 96h / Oncorhynchus mykiss = >=2 <=5 mg/l  
LD50 / Ingestion / Rat = > 5000 mg/kg  
LD50 / Skin contact / Rabbit = >2000 mg/kg  
LC50 / Inhalation (vapours) / Rat = >4688 mg/m3  
Additional phrase(s)  
EUH 066 - Repeated exposure may cause skin dryness or cracking.
  - propan-2-ol; isopropyl alcohol; isopropanol  
- Id nr: 603-117-00-0 - CE nr: 200-661-7 - CAS nr: 67-63-0  
- REACH registration number : 01-2119457558-25-XXXX  
- Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5  
- GHS (Globally Harmonized System)  
\* GHS02 \* Liq. infl. 2 - H225  
\* GHS07 \* STOT un. 3. - H336 \* Irr. oc. 2 - H319  
- Miscellaneous :  
LD50 / Dermal / Rabbit = 13900 mg/kg  
LD50 / Oral / Rat = 5840 mg/kg  
LC50 / 24h / Shellfishes = 9714 mg/l  
LC50 / 96h / Fish = 9640 mg/l  
LC50 / Inhalation (vapours) / 6h / Rat = >25000 mg/l  
Exposure limit values

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

T.L.V. ppm = 250 - T.L.V. mg/m<sup>3</sup> = 650

- Hydrocarbons, C10, aromatics, >1% naphtalène
  - CE nr: 919-284-0
  - REACH registration number : 01-2119463588-24
  - Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5
  - GHS (Globally Harmonized System)
  - \* GHS07 \* STOT un. 3. - H336
  - \* GHS08 \* Tox. asp. 1 - H304 \* Canc. 2 - H351
  - \* GHS09 \* Tox. aq. chron. 2 - H411
  - Miscellaneous :
  - LE50 / 48h / Daphnia magna = >3<=10 mg/l
  - LE50 / 72h / Pseudokirchneriella subcapita = 11 mg/l
  - DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 2.5 mg/l
  - LL50 / 96h / Oncorhynchus mykiss = >2<=5 mg/l
  - LD50 / Ingestion / Rat = >5000 mg/kg
  - LD50 / Dermal / Rabbit = >2000 mg/kg
  - LC50 / Inhalation (vapours) / Rat = >4688 mg/m<sup>3</sup>
  - Additional phrase(s)
  - EUH 066 - Repeated exposure may cause skin dryness or cracking.

- solvant naphta aromatique lourd
  - CE nr: 918-811-1 - CAS nr: .64742-94-5
  - REACH registration number : 01-2119463583-34-xxx
  - Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5
  - GHS (Globally Harmonized System)
  - \* GHS07 \* STOT un. 3 - H336 \* STOT un. 3.
  - \* GHS08 \* Tox. asp. 1 - H304
  - \* GHS09 \* Tox. aq. chron. 2 - H411

- Methylcyclopentadienyl manganese tricarbonyl
  - CAS nr: 12108-13-3
  - Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5
  - GHS (Globally Harmonized System)
  - \* GHS06 \* Tox. aiguë 1 - H300 - H310 - H330
  - \* GHS09 \* Tox. aq. aiguë 1 - H400
  - Miscellaneous :
  - Exposure limit values
  - T.L.V. mg/m<sup>3</sup> = 0.2

- polyolefin alkyl phenol alkylamine
  - Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5
  - GHS (Globally Harmonized System)
  - \* GHS07 \* Irr. cut. 2 - H315 \* Irr. oc. 2 - H319 \* Irr. oc. 2A

- naphthalene
  - Id nr: 601-052-00-2 - CE nr: 202-049-5 - CAS nr: 91-20-3
  - Conc. (weight %) : Conc. (% pds) : % 0 < C <= 1
  - GHS (Globally Harmonized System)
  - \* GHS07 \* Tox. aiguë 4 - H302
  - \* GHS08 \* Canc. 2 - H351
  - \* GHS09 \* Tox. aq. chron. 1 - H410
  - Miscellaneous :
  - Exposure limit values
  - T.L.V. ppm = 10 - T.L.V. mg/m<sup>3</sup> = 50 - S.T.E.L ppm = 15 - S.T.E.L mg/m<sup>3</sup> = 79

- 1,2,4-trimethylbenzene
  - Id nr: 601-043-00-3 - CE nr: 202-436-9 - CAS nr: 95-63-6
  - Conc. (weight %) : Conc. (% pds) : % 0 < C <= 1
  - GHS (Globally Harmonized System)
  - \* GHS02 \* Liq. infl. 3 - H226
  - \* GHS07 \* Tox. aiguë 4 - H332 \* STOT un. 3 - H335 \* Irr. cut. 2 - H315 \* Irr. oc. 2 - H319
  - \* GHS09 \* Tox. aq. chron. 2 - H411

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

- Miscellaneous :

Exposure limit values

T.L.V. ppm = 20 - T.L.V. mg/m<sup>3</sup> = 100

• cumene [1]; propylbenzene [2]

- Id nr: 601-024-00-X - CE nr: 202-704-5 - CAS nr: 98-82-8

- Conc. (weight %) :Conc. (% pds) : % 0 < C ≤ 1

- GHS (Globally Harmonized System)

\* GHS02 \* Liq. infl. 3 - H226

\* GHS07 \* STOT un. 3 - H335

\* GHS08 \* Tox. asp. 1 - H304

\* GHS09 \* Tox. aq. chron. 2 - H411

- Miscellaneous :

Exposure limit values

T.L.V. ppm = 20 - T.L.V. mg/m<sup>3</sup> = 100 - S.T.E.L ppm = 50 - S.T.E.L mg/m<sup>3</sup> = 250

• mesitylene; 1,3,5-trimethylbenzene

- Id nr: 601-025-00-5 - CE nr: 203-604-4 - CAS nr: 108-67-8

- Conc. (weight %) :Conc. (% pds) : % 0 < C ≤ 1

- GHS (Globally Harmonized System)

\* GHS02 \* Liq. infl. 3 - H226

\* GHS07 \* STOT un. 3 - H335

\* GHS09 \* Tox. aq. chron. 2 - H411

Remarks:(STOT SE 3; H335; C ≥ 25%)

- Miscellaneous :

Exposure limit values

T.L.V. ppm = 20 - T.L.V. mg/m<sup>3</sup> = 100

• o-xylene [1]; p-xylene [2]; m-xylene [3]; xylene [4]

- Id nr: 601-022-00-9 - CE nr: 215-535-7 - CAS nr: 1330-20-7

- Conc. (weight %) :Conc. (% pds) : % 0 < C ≤ 1

- GHS (Globally Harmonized System)

\* GHS02 \* Liq. infl. 3 - H226

\* GHS07 \* Tox. aiguë 4 - H312 - H332 \* Irr. cut. 2 - H315

Remarks:(\*)

- Miscellaneous :

Exposure limit values

T.L.V. ppm = 50 - T.L.V. mg/m<sup>3</sup> = 221 - S.T.E.L ppm = 100 - S.T.E.L mg/m<sup>3</sup> = 442

The wording of the sentences are mentioned at heading 16.

### 4. FIRST AID MEASURES

#### 4. 1. Description of first aid measures:

##### 4. 1. 1. General advice:

Never give anything by mouth to an unconscious person.  
In all cases of doubt, or when symptoms persist, seek medical attention.  
For symptom description, see item 11.

##### 4. 1. 2. Inhalation:

- Take victim to fresh air, in a quiet place, in an half laying position and if necessary take medical advice.  
- Artificial respiration and/or oxygen if necessary.

##### 4. 1. 3. Skin contact:

- Take off immediately all contaminated clothing.  
- Wash off with soap and plenty of water.  
- If skin irritation persists, take medical advice.

##### 4. 1. 4. Eye contact:

- Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.

##### 4. 1. 5. Ingestion:

- Do NOT induce vomiting.  
- Rinse mouth, do not drink anything, keep quiet, and go immediately to hospital or to a doctor.

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

4. 2. Most important symptoms and effects, both acute and delayed:

- |  |   |
|--|---|
| 4. 2. 1. Inhalation:   | Irritating to the respiratory system, may cause throat pain and cough.<br>Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, breathing arrest. |
| 4. 2. 2. Skin contact:   | Components of the product may be absorbed into the body through the skin.<br>Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.     |
| 4. 2. 3. Eyes contact:   | mild eye irritation (pain, redness)   |
| 4. 2. 4. Ingestion:  | May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. (abdominal pain)   |
| 4. 3. Indication of any immediate medical attention and special treatment needed : | In all cases of doubt, or w hen symptoms persist, seek medical attention.   |

### 5. FIREFIGHTING MEASURES

- |  |   |
|--|---|
| 5. 1. Extinguishing media:   | dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ), water spray, sand, earth.   |
| 5. 2. Special hazards arising from the substance or mixture:         | In case of fire and/or explosion do not breathe fumes.<br>In case of fire, product decomposes into: toxic compounds, carbon oxides (CO and CO <sub>2</sub> ), nitrogen oxides (NO <sub>x</sub> ) and smokes.<br>Vapours are heavier than air and spread above ground.<br>Concerning product toxicity, see item 11 and about product stability and reactivity see item 10. |
| 5. 3. Advice for firefighters:                                       | Use a self-contained breathing apparatus and also a protective suit.  |
| 5. 4. Specific method(s):  | Cool closed containers exposed to fire with water spray.  |
| 5. 5. Extinguishing media which must NOT be used for safety reasons: | Do not use water jet.   |

### 6. ACCIDENTAL RELEASE MEASURES

- |  |   |
|--|---|
| 6. 1. Personal precautions, protective equipment and emergency procedures: | Evacuate personnel to a safe area.<br>Avoid contact with skin, eyes, or clothing.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.  |
| 6. 2. Environmental precautions:   | Stop leak without risks if possible.<br>Dike and contain spill.<br>Prevent liquid from entering sewers, watercourses, underground or low areas. Relevant water authorities should be notified of any large spillage to water course or drain. |
| 6. 3. Methods and material for containment and cleaning up:                | Soak up with absorbent material (for example sand, saw dust, neutral absorbent granule, silica gel).<br>Clean up with detergents.<br>Shovel into suitable and closed container for disposal.  |
| 6. 4. Reference to other sections:   | Concerning personal protective equipment to use, see item 8.<br>Concerning disposal elimination after cleaning, see item 13.  |

### 7. HANDLING AND STORAGE

- |   |  |
|---|--|
| 7. 1. Handling:                         |  |
| 7. 1. 1. Precautions for safe handling: | Avoid all eyes and skin contact and do not breathe vapour and mist.<br>Do not eat, drink and do not smoke in areas where product is used.<br>Wear personal protective equipment (see item 8).<br>Shower, eyes shower and water point in proximity. |
| 7. 1. 2. Technical condition(s):        | Never mix with other materials.<br>Maximum handling temperature: 40°C.   |

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

	Provide for appropriate exhaust ventilation at places of vapours accumulation. Ventilation along floor.
7. 1. 3. Safe handling advice(s):	Opened containers must be carefully closed and kept upright to avoid leakage.
7. 2. Storage:	
7. 2. 1. Conditions for safe storage, including any incompatibilities:	Store in a place accessible by authorised persons only.
7. 2. 2. Technical condition(s):	Not flammable and waterproof underground retention basin.
7. 2. 3. Storage condition(s):	Keep container tightly closed and at a temperature not exceeding (°C): 50°C Keep away from sources of ignition - No smoking. Store away from direct sunlight or other heat sources. Store in a well-ventilated place.
7. 2. 4. Separation of incompatible product(s):	Keep away from: strong acids, and oxidising compounds.
7. 2. 5. Packaging / tank material:	stainless steel, mild steel.
7. 2. 6. Unsuitable packaging materials:	- Avoid certain plastics which are soluble in product. - rubbers
7. 3. Specific end use(s):	None reasonably foreseeable.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8. 1. Control parameters:

##### 8. 1. 1. Exposure limit(s):

- propan-2-ol; isopropyl alcohol; isopropanol :  
T.L.V. ppm = 250 - T.L.V. mg/m<sup>3</sup> = 650
- Methylcyclopentadienyl manganese tricarbonyl :  
T.L.V. mg/m<sup>3</sup> = 0.2
- naphthalene :  
T.L.V. ppm = 10 - T.L.V. mg/m<sup>3</sup> = 50 - S.T.E.L ppm = 15 - S.T.E.L mg/m<sup>3</sup> = 79
- 1,2,4-trimethylbenzene :  
T.L.V. ppm = 20 - T.L.V. mg/m<sup>3</sup> = 100
- cumene [1]; propylbenzene [2] :  
T.L.V. ppm = 20 - T.L.V. mg/m<sup>3</sup> = 100 - S.T.E.L ppm = 50 - S.T.E.L mg/m<sup>3</sup> = 250
- mesitylene; 1,3,5-trimethylbenzene :  
T.L.V. ppm = 20 - T.L.V. mg/m<sup>3</sup> = 100
- o-xylene [1]; p-xylene [2]; m-xylene [3]; xylene [4] :  
T.L.V. ppm = 50 - T.L.V. mg/m<sup>3</sup> = 221 - S.T.E.L ppm = 100 - S.T.E.L mg/m<sup>3</sup> = 442
- Manganese cyclopentadienyl tricarbonyl :  
T.L.V. mg/m<sup>3</sup> = 0.1

#### 8. 2. Exposure controls:

##### 8. 2. 1. Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas.  
To protect against splashes from pouring.

##### 8. 2. 2. Eye protection:

safety glasses or face shield

##### 8. 2. 3. Respiratory protection:

Not necessary with sufficient ventilation.  
In case of insufficient ventilation wear suitable respiratory equipment.

##### 8. 2. 4. Hand protection:

nitrile rubber gloves

##### 8. 2. 5. Skin and body protection:

Wear suitable protective clothing

#### 8. 3. Environmental exposure controls:

There is no data available on the product itself.

#### 8. 4. Hygiene measure(s):

Do not eat, drink, or smoke during work.  
Keep away from food, drink and animal feed.  
Keep workplace clean and tidy as much as possible.

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

Do not wear a soaked rag in or on your clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and chemical properties:

- |  |   |
|--|---|
| 9. 1. 1. Physical state:   | liquid  |
| 9. 1. 2. Colour:   | amber   |
| 9. 1. 3. Odour:  | characteristic, strong                                      |
| 9. 1. 4. Melting point / freezing point:                           | There is no data available on the product itself.           |
| 9. 1. 5. Boiling point or initial boiling point and boiling range: | >160°C  |
| 9. 1. 6. Flammability:   | There is no data available on the product itself.           |
| 9. 1. 7. Lower and upper explosion limit:                          | 0.6 à 7%  |
| 9. 1. 8. Flash point:  | > 62°C  |
| 9. 1. 9. Auto-ignition temperature:                                | There is no data available on the product itself.           |
| 9. 1. 10. Decomposition temperature:                               | There is no data available on the product itself.           |
| 9. 1. 11. PH:  | Not applicable.   |
| 9. 1. 12. Solubility:  | There is no data available on the product itself.           |
| 9. 1. 13. Water solubility:  | immiscible  |
| 9. 1. 14. Fat solubility:  | completely miscible   |
| 9. 1. 15. Solvent solubility:                                      | soluble in most organic solvents<br>Soluble in hydrocarbons |
| 9. 1. 16. Partition coefficient n-octanol/water (log value):       | There is no data available on the product itself.           |
| 9. 1. 17. Vapour pressure:   | There is no data available on the product itself.           |
| 9. 1. 18. Relative vapour density:                                 | There is no data available on the product itself.           |
| 9. 1. 19. Density and/or relative density:                         | 0.815   |
| 9. 1. 20. Particle characteristics:                                | There is no data available on the product itself.           |
| 9. 1. 21. Kinematic viscosity:                                     | Not determined.   |
9. 2. Other information:

### 10. STABILITY AND REACTIVITY

- |  |   |
|--|---|
| 10. 1. Reactivity:                         | No decomposition if used as directed.   |
| 10. 2. Chemical stability:                 | Stable in use and storage conditions as recommended in item 7.  |
| 10. 3. Possibility of hazardous reactions: | Not waited  |
| 10. 4. Conditions to avoid:                | Do not expose at temperatures above 50°C  |
| 10. 5. Incompatible materials:             | Reacts violently with: strong acids and oxidising compounds.<br>Avoid certain plastics which are soluble in product.                          |
| 10. 6. Hazardous decomposition products:   | Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide and nitrogen oxides (NOx). |

### 11. TOXICOLOGICAL INFORMATION

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

11. 1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:	Periodical medical test is recommended in function of exposition measure. No available information on preparation.
11. 1. 1. Inhalation:	see item nr 3 - Hydrocarbons C10, aromatics, <1% naphtalène (N° CE 918-911-1) : - Hdrocarbures, C9-C11, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : - Isopropanol
11. 1. 2. Skin contact:	see item nr 3 - Hydrocarbons C10, aromatics, <1% naphtalène (N° CE 918-911-1) : - Hdrocarbures, C9-C11, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : - Isopropanol
11. 1. 3. Eyes contact:	No eye irritation.
11. 1. 4. Ingestion:	see item nr 3 - Hydrocarbons C10, aromatics, <1% naphtalène (N° CE 918-911-1) : - Hdrocarbures, C9-C11, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : - Isopropanol
11. 1. 5. Sensitisation:	May cause sensitisation of susceptible persons by skin contact.

### 12. ECOLOGICAL INFORMATION

12. 1. Toxicity:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
12. 2. Persistence and degradability:	Product has only a limited biodegradability in soil and water.
12. 3. Bioaccumulative potential:	Cette préparation contient une substance UVCB. Les tests standards ne sont pas appropriés pour ce paramètre.
12. 4. Mobility in soil:	Cette préparation contient une substance UVCB. Les tests standards ne sont pas appropriés pour ce paramètre. Product -- Likely to be distributed in the sediments and the solid phase of waste waters. Moderately volatile.
12. 5. Results of PBT and vPvB assessment:	This product n' is not a substance PBT or vPvB, or n' in does not contain.
12. 6. Endocrine disrupting properties:	There is no data available on the product itself.
12. 7. Other adverse effects:	No expected harmful effects.
12. 7. 1. Toxicity to fish:	see item nr 3 - Hydrocarbons C10, aromatics, <1% naphtalène (N° CE 918-911-1) : - Hdrocarbures, C9-C11, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : - Isopropanol

### 13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods:	Collect all waste in suitable and labelled containers and dispose according to local legislation. Do not dispose of waste into sewer. Can be incinerated according to local regulations.
13. 2. Contaminated packaging:	This container is uitsluitend bedoeld only to this product. Do not burn, or use a cutting torch on the empty drum. Empty containers can be dumped according to local legislation.

### 14. TRANSPORT INFORMATION

14. 1. General information(s):	Transport followed ADR, IMDG, IATA
--------------------------------	------------------------------------



# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

14. 2. UN number or ID number:	3082
14. 3. Land (Road / Railway: ADR/RID):	
14. 3. 1. Transport hazard class(es):	9
14. 3. 2. Packing group:	III
14. 3. 3. ADR/RID-Labels:	9
14. 3. 4. Code danger:	90
14. 3. 5. Classification code:	M6
14. 4. Sea (IMDG):	
14. 5. Air (ICAO/IATA):	
14. 6. Environmental hazards:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
14. 7. Special precautions for user:	Concerning personal protective equipment to use, see item 8.
14. 8. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
14. 9. Maritime transport in bulk according to IMO instruments:	Not applicable.

### 15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture:	Payment 1907/2006 concerning the recording, the evaluation and the authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified.
15. 2. Chemical safety assessment:	No data available.

### 16. OTHER INFORMATION

16. 1. Text of the phrases listed in section 3:	H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects. H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H315 Causes skin irritation. H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H410 Very toxic to aquatic life with long lasting effects. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled. H400 Very toxic to aquatic life.
16. 2. Important remarks:	Information in this safety data sheet is based on actual knowledge in our possession and our experience. It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. No liability will be accepted (except as otherwise provided by law) arising out of the use of information supplied in this data sheet.
16. 3. Restrictions:	This information relates to the specific material designated and may not be valid in combination with other product(s).

# SAFETY DATA SHEET

## TC2 ESSENCE

Version:6

Review date:09/04/2021

RE EC/2016-918 - CLP 1272/2008

16. 4. History:

16. 4. 1. First edition date:	07/12/2005
16. 4. 2. Previous revision date:	15/04/2019
16. 4. 3. Review date:	09/04/2021
16. 4. 4. Version:	6
16. 4. 5. Review chapter(s) n°:	1-9
16. 5. Written by:	SELD